



2025

Fishing Rod Series

WWW.MWJIGGING.COM

PANDORA III Slow Jigging Rod(Over Head)



PANDORA III Slow Jigging Rod(Spinning)



OCEAN HUNTER Slow Jigging Rod(Over Head)



OCEAN HUNTER Slow Jigging Rod(Spinning)



SOFIA II Light Jigging Rod(Over Head)



SOFIA II Light Jigging Rod(Spinning)



SOFIA II Light Jigging Rod



Softness and toughness

Section 1.5

● Solid first section

● FUJI guide

● FUJI reel seat

Model	Length (cm)	Close (cm)	Type	Section (pcs)	Wt (g)	Top (mm)	Bottom (mm)	Jig Wt (g)	Reel Seat (FUJI)	Guide (FUJI)	Line (PE)	Test 50° (kg)
S632L	190	137	Spinning	1.5	120	1.3	11	10-60	VSSD-16	KW-O	0.6-1.2	7
S632ML					134	1.5	11.5	30-90			0.8-2.0	7
S632M					140	1.7	12	50-120			1.0-3.0	7
S632MH					150	1.9	12.5	100-200			2.0-4.0	9
B632L			Over Head		136	1.3	11	10-60	TCS-16		0.6-1.2	7
B632ML					148	1.5	11.5	30-90			0.8-2.0	7
B632M					156	1.7	12	50-120			1.0-3.0	7
B632MH					165	1.9	12.5	100-200			2.0-4.0	9

OCEAN HUNTER Slow Jigging Rod

SiC
RING

High sensitivity

High rebound force

Section 1.5

● Solid first section

● KOREA SiC guide

● FUJI reel seat

Model	Length (cm)	Close (cm)	Type	Section (pcs)	Wt (g)	Top (mm)	Bottom (mm)	Jig Wt (g)	Reel Seat (FUJI)	Guide (KOREA)	Line (PE)	Test 50° (kg)
S-632/4SP	190	137	Spinning	1.5	146	1.6	11.5	80-150	VSSD-16	SIC	PE1.5-3	12
S-632/5SP					154	1.7	11.5	100-200			PE1.5-4	13
S-632/6SP					159	1.8	11.5	150-300			PE2-5	14
B-632/4SP			Over Head		160	1.6	11.5	80-150	TCS-16		PE1.5-3	12
B-632/5SP					164	1.7	11.5	100-200			PE1.5-4	13
B-632/6SP					169	1.8	11.5	150-300			PE2-5	14

PANDORA III Slow Jigging Rod



Ultra-fine top

One-piece high-strength material

● Hollow material

● FUJI guide

● FUJI reel seat

Model	Length (cm)	Type	Section (pcs)	Wt (g)	Top (mm)	Bottom (mm)	Jig Wt (g)	Reel Seat (FUJI)	Guide (KOREA)	Line (PE)	Test 50° (kg)
S-632/4SP	191	Spinning	1	125	1.5	11.5	80-150	VSSD-16	KW-A	PE1.5-3	15
S-632/5SP				132	1.6	12	100-200			PE1.5-4	18
S-632/6SP				142	1.9	12.5	150-300			PE2-5	20
B-632/4SP		Over Head		135	1.5	11.5	80-150	TCS-16		PE1.5-3	15
B-632/5SP				140	1.6	12	100-200			PE1.5-4	18
B-632/6SP				146	1.9	12.5	150-300			PE2-5	20

OCEAN WOLF MKV Jigging Rod(Over Head)



OCEAN WOLF MKV Jigging Rod (Spinning)



SEA LION II Jigging Rod(Over Head)



SEA LION II Jigging Rod (Spinning)



SEA LION II Jigging Rod


SIC
RING


High strength and high durability

High cost performance

- One-piece high-strength material ● KOREA SIC guide ● FUJI reel seat

Model	Length (cm)	Type	Section (pcs)	Wt (g)	Top (mm)	Bottom (mm)	Jig Wt (g)	Reel Seat (FUJI)	Guide (KOREA)	Line (PE)	Test 50° (kg)
S-SS	171	Spinning	1	225	2.4	9	80-200	DPS-18	SIC	PE1-4	12
S-S	171			245	2.5	10	150-300	DPS-20		PE3-6	18
S-M	161			250	3.5	11	250-400	DPS-20		PE4-8	25
B-SS	171	Over Head		230	2.4	9	80-200	TCS-18		PE1-4	12
B-S	171			270	2.5	10	150-300	PSS-20		PE3-6	18
B-M	161			275	3.5	11	250-400	PSS-20		PE4-8	25

OCEAN WOLF MKV Jigging Rod



Develop to the fifth generation

It has been selling well since 2008

- One-piece high-strength material ● FUJI guide ● FUJI reel seat

Model	Length (cm)	Type	Section (pcs)	Wt (g)	Top (mm)	Bottom (mm)	Jig Wt (g)	Reel Seat (FUJI)	Guide	Line (PE)	Test 50° (kg)
S-SS	171	Spinning	1	215	2.4	9	80-200	DPS-18LD	FUJI	PE1-4	12
S-S	171			270	2.5	10	150-300	DPS-20LD		PE3-6	18
S-M	161			295	3.5	11	250-400	DPS-20LD		PE4-8	25
S-L	161			300	4	11	350-550	DPS-20LD		PE5-10	32
B-SS	171	Over Head		225	2.4	9	80-200	TCS-18LD		PE1-4	12
B-S	171			285	2.5	10	150-300	PSS-20LD		PE3-6	18
B-M	161			310	3.5	11	250-400	PSS-20LD		PE4-8	25
B-L	161			320	4	11	350-550	PSS-20LD		PE5-10	32

HERCULES Jigging Rod(Spinning)**APOLLO Jigging Rod(Over Head)**

APOLLO Jigging Rod

Special for electric reel



Rotating guide design Force is more reasonable
Prevent the fishing line from wrapping around the top

● Composite material materials ● FUJI guide ● ALPS aluminum metal reel seat

Model	Length (cm)	Type	Section (pcs)	Wt (g)	Top (mm)	Bottom (mm)	Jig Wt (g)	Reel Seat	Guide (FUJI)	Line (PE)	Test 50° (kg)
APOLLO161	161	Over Head	1	330	3.4	13.5	200-500	ALPS	KW-A	4-10	40kg
APOLLO181	181			340	3.3	14					
APOLLO171	171			335	2.6	13.5	150-400			3-8	
APOLLO191	191			350	2.5	14					

HERCULES Jigging Rod



3K carbon fabric wrapped reinforcement. FUJI's top-level SIC Guide

● One-piece high-strength material ● FUJI guide ● FUJI reel seat

Model	Length (cm)	Type	Section (pcs)	Wt (g)	Top (mm)	Bottom (mm)	Jig Wt (g)	Reel Seat (FUJI)	Guide (FUJI)	Line (PE)	Test 50° (kg)
S-SS	171	Spinning	1	210	2.4	9	80-200	DPS-18LD	KW-SIC	PE1-4	15
S-S	171			250	2.5	10	150-300	DPS-20LD		PE3-6	20
S-M	161			280	3.5	11	250-400	DPS-20LD		PE4-8	27
S-L	161			290	4	11	350-550	DPS-20LD		PE5-10	34

OCEAN FIGHTER MKIII


铁板路亚竿



GOLD



RED



● One-piece high-strength material

● FUJI guide

● FUJI reel seat

Model	Length (cm)	Type	Section (pcs)	Wt (g)	Top (mm)	Bottom (mm)	Jig Wt (g)	Reel Seat (FUJI)	Guide (FUJI)	Line (PE)	Test 50° (kg)
S-SS	171	Spinning	1	260	2.4	9	80-200	DPS-18LD	KW-A	PE1-4	15
S-S	171			290	2.5	10	150-300	DPS-20LD		PE3-6	20
S-M	161			310	3.5	11	250-400	DPS-20LD		PE4-8	27
S-L	161			340	4	11	350-550	DPS-20LD		PE5-10	34
B-SS	171	Over Head		260	2.4	9	80-200	TCS-18LD		PE1-4	15
B-S	171			310	2.5	10	150-300	PSS-20LD		PE3-6	20
B-M	161			330	3.5	11	250-400	PSS-20LD		PE4-8	27
B-L	161			350	4	11	350-550	PSS-20LD		PE5-10	34

OCEAN MONSTER 铁板路亚竿



- One-piece high-strength material
- FUJI guide
- FUJI reel seat

Model	Length (cm)	Type	Section (pcs)	Wt (g)	Top (mm)	Bottom (mm)	Jig Wt (g)	Reel Seat	Guide (FUJI)	Line (PE)	Test 50° (kg)
S-S	171	Spinning	1	355	3	10	150-300	ALPS	SIC	PE3-6	19
S-M	161			370	4	11	250-400		SIC	PE4-8	27
S-L	161			380	4.5	11	350-550		SIC	PE5-10	33
B-S	171	Over Head		355	3	10	150-300		SIC	PE3-6	19
B-M	161			370	4	11	250-400		SIC	PE4-8	27
B-L	161			380	4.5	11	350-550		SIC	PE5-10	33



HERCULES Saltwater Lure Rod(Spinning)



DORIS II Saltwater Lure Rod(Casting)



DORIS II Saltwater Lure Rod(Spinning)



DORIS II Saltwater Lure Rod



Sensitive top Super light weight Strong core strength

● Carbon fiber grip

● FUJI guide

● FUJI reel seat

Model	Type	Action	Length (cm)	Close (cm)	Section (pcs)	Wt (g)	Top (mm)	Bottom (mm)	PLUG wt (g)	Jig wt (g)	Reel Seat (FUJI)	Guide (FUJI)	Test 50° (kg)
S792ML	Spinning	4:6	235	122	2	150	1.5	14.0	8-40	Max60	DPS-16	KW-A	12
S892ML			265	137		165	1.5	14.0	8-40	Max60	DPS-16		
B792ML	Casting		235	122		160	1.5	14.0	8-40	Max60	TCS-16		
B892ML			265	137		175	1.5	14.0	8-40	Max60	TCS-16		
S672M	Spinning	3:7	205	106		140	1.6	14.0	10-48	Max70	DPS-16		
S672H			235	122		150	1.8	14.0	30-80	Max100			
S792M			265	137		160	1.6	14.0	10-48	Max70			
S792H			180	1.6		14.0	10-48	Max70					
S892M			190	1.8		14.0	30-80	Max100					
S892H			140	1.6		14.0	10-48	Max70					
B672M	Casting		205	106		150	1.8	14.0	30-80	Max100	TCS-16		
B672H			235	122		165	1.6	14.0	10-48	Max70			
B792M			265	137		170	1.8	14.0	30-80	Max100			
B792H			185	1.6		14.0	10-48	Max70					
B892M			195	1.8		14.0	30-80	Max100					
B892H													

HERCULES Saltwater Lure Rod



Classic design lure rod Bestselling for over a decade

● High-strength carbon fiber material ● FUJI guide ● FUJI reel seat

Model	Type	Action	Length (cm)	Close (cm)	Section (pcs)	Wt (g)	Top (mm)	Bottom (mm)	PLUG wt (g)	Reel Seat (FUJI)	Guide (FUJI)	Test 50° (kg)
S698M	Spinning	3.5:6.5	212	111	2	148	1.9	11.0	10-48	VSSD	KW-A	8
S698H			212	111		156	1.9	11.5	30-80			8
S802M			246	128		170	1.9	12.0	10-48			8
S802H			246	128		180	1.9	12.5	30-80			8
S892M			271	96	3	200	1.9	14.5	10-48			7

FISHING ROD

X-POWER Boat Rod



SQUID HUNTER EGI Rod



DORIS II TENYA Rod



POSEIDON III Saltwater Lure Rod



POSEIDON III Saltwater Lure Rod



Suitable for medium and light weight Popper Pencil Minnow

● Ergonomic grip

● FUJI guide

● FUJI reel seat

Model	Length (cm)	Close (cm)	Section (pcs)	Wt (g)	Top (mm)	Bottom (mm)	Lure Wt (g)	Line (PE)	Reel Seat (FUJI)	Guide (FUJI)	Test 60° (kg)
698MH	212	109	2	206	2.1	10.5	30-100	MAX 3	DPS-18	A+O	10
698H	212	109		214	2.5	11	40-120	MAX 4			12
802H	244	124		250	2.5	12.5	40-120	MAX 4			12
892H	272	139		259	2.5	14	40-120	MAX 4			12

DORIS II TENYA Rod



Lightweight design TENYA Fishing Method Specialized

● High-strength carbon fiber material ● FUJI guide ● FUJI reel seat

Model	Type	Action	Length (cm)	Close (cm)	Section (pcs)	Wt (g)	Top (mm)	Bottom (mm)	Sinker Wt (g)	Reel Seat (FUJI)	Guide (FUJI)
TENYA632M	Casting	3:7	190	99	2	110	1	10.1	100-220	DPS-16	KW-A
TENYA632H			190	99		120	1.5	13.0	150-350		
TENYA702M			210	110		140	1	11.0	100-220		

SQUID HUNTER EGI Rod



SIC
RING

Lightweight design Specialized for EGI fishing method

● High-strength carbon fiber material ● KOREA SIC guide ● FUJI reel seat

Model	Action	EGI (g)	PE Line	Length (cm)	Close (cm)	Section (pcs)	Wt (g)	Top (mm)	Bottom (mm)	Reel Seat (FUJI)	Guide (KOREA)	Test 50° (kg)
SPS862EL	M	2-3.5#	0.4-1.0	262	134	2	110	1.6	13.0	DPS-16	SIC	4



X-POWER Boat Rod

The sensitive top of the composite material

The powerful strength of the carbon fiber material

● High-strength carbon fiber material ● FUJI guide ● FUJI reel seat

Model	Action	Length (cm)	Close (cm)	Section (pcs)	Wt (g)	Top (mm)	Bottom (mm)	Size	Sinker Wt (g)	Reel Seat (FUJI)	Guide (FUJI)	测试50° (kg)
120-225	2:8	225	116	2	250	1.4	17	80-250#	300-1000	DPS-20	A+O	16kg
150-225					270	1.5	18	100-300#	350-1200			18kg



TUNA PRO III Popping/pebcil Rod



G-MAX Boat Rod(Casting)



G-MAX Boat Rod(Spinning)



G-MAX Boat Rod


SIC
RING

Sensitive top Lightweight design

Various lengths and sizes are available for selection

● High-strength carbon fiber material ● KOREA SIC guide ● FUJI reel seat

Model	Type	Length (cm)	Close (cm)	Section (pcs)	Wt (g)	Top (mm)	Bottom (mm)	Size	Sinker Wt (g)	Reel Seat (FUJI)	Guide (KOREA)	Test 50° (kg)
S50-240	Spinning	240	123	2	150	1.2	12	30-100#	110-370g	DPS-16	SIC	9
S50-270		270	138		160	1.2	13					
S60-240		240	123		150	1.3	12	40-110#	120-400g			10
S60-255		255	131		155	1.3	12.5					
S60-270		270	138		160	1.3	13	40-120#	150-450g			12
S80-240		240	123		150	1.3	13					
S80-255		255	131		160	1.3	13.5					
S80-270		270	138		165	1.3	14					
B50-240	Casting	240	123		160	1.2	12	30-100#	110-370g	TCS-16		9
B50-270		270	138		175	1.2	13					
B60-240		240	123		160	1.3	12	40-110#	120-400g			10
B60-255		255	131		165	1.3	12.5					
B60-270		270	138		175	1.3	13	40-120#	150-450g			12
B80-240		240	123		160	1.3	13					
B80-255		255	131		168	1.3	13.5					
B80-270		270	138		175	1.3	14					

TUNA PRO III Popping/Pencil Rod



High strength Large casting weight

Essential for catching big fish

● High-strength carbon fiber material ● FUJI guide ● FUJI reel seat

Model	Length (cm)	Close (cm)	Section (pcs)	Wt (g)	Top (mm)	Bottom (mm)	Lure Wt (g)	Line (PE)	Reel Seat (FUJI)	Guide (FUJI)	Test 60°(kg)
S830M	2.52	185	1.5	330	3.0	14.5	30-150g	MAX6	DPS-20	MN-A	14kg
S830H		185	1.5	340	3.2	15.0	60-180g	MAX8			15kg



M&W FISHING TACKLE Co.,Ltd.

Websit: <https://www.mwjigging.com>

Tel: +86580-2085611

Email: info@mwjigging.com